

SUBJECT INDEX TO VOLUME-3

<p>AB2-functionalized triphenylene derivatives674 synthesis of674</p> <p>Acetic acid940 catalyzed by sulfuric acid in940 synthesis of940</p> <p>Acetonides271 mild/efficient/highly selective hydrolysis of ..271 with antimony trichloride271</p> <p>Achiral binaphthyl chromophore58</p> <p>Acrylamide356 formation of356</p> <p>Activated alcohols107 catalyzed by hydrated Ruthenium chloride in aqueous medium107 dynamic kinetic resolution of107 racemization of107 recyclable oxidation of107</p> <p>Alkyl oxindolideneacetates56 one-pot methodology for preparation of56</p> <p>14-Alkyl/14-aryl-14-H-dibenzo[,]xanthenes591 clean synthesis of591</p> <p>Alkynyl S,N-acetals to 1-amino-3-sulfenylallenes409 conversion to , -unsaturated ketones409 effects on [1,3]-rearrangement of409</p> <p>-Allylpalladium98 aqueous transmetalation of98 with indium98</p> <p>Allyltriphenylphosphonium isomerization309 of -hydroxy-1,3-dienes309</p> <p>Alpha-substituted-1-phenylethanols613 application of bioreduction613 enantioselective synthesis of613 role of microorganisms in613</p> <p>Aluminumdodecatangstophosphate (AIPW₁₂O₄₀)25 facile/selective preparation of esters from carboxylic acids catalyzed by25</p> <p>Amides267 conversion of oximes to267</p> <p>Amino acid derivatives363 enantioselective recognition for363 synthesis of363</p> <p>-Amino acid-derived cyclic amides857 for use building blocks for protease inhibitors 857 synthesis of857</p> <p>-Amino alcohols187 by regioselective ring opening187 synthesis of187</p>	<p>-Amino- -hydroxy acid segment54 asymmetric synthesis of54 of hapalosin54</p> <p>Aminocarbonylation62 prolinates as secondary amines in62</p> <p>Aminodiol subunit477 reactivity of bioactive type477</p> <p>Ammonium formate/palladium39 on carbon39 saturated alcohols by39</p> <p>3,6-Anhydro-2-deoxy-7-phenylglyconolactones504</p> <p>Anion receptors260 based on acyclic phenol-formaldehyde oligomers.....260</p> <p>Anti-<i>N</i>-Boc-3-amino-3-phenyl-1,2-propanediols477 DFT study of477 reaction of silyl protected type477 with NaH477</p> <p>Arene carboxylic acids943 preparation of943 <i>via</i> a polymer-supported Kröhnke reaction943</p> <p>Aromatic <i>N</i>-alkyl-<i>N</i>-(2-lithioallyl)amines470 intramolecular carbolithiation of470</p> <p>Aromatic <i>N</i>-thiophosphoryl imines640 synthesis of640</p> <p>Aromatic nitro/carbonyl compounds901 regio-chemoselective reduction of901 role of Baker's yeast immobilized nanoporous silicates901</p> <p>Aromatic sulfonyl chlorides191 solvent dependent benzylic radical bromination of191</p> <p>Aryltrifluoroborates320 microwave-assisted amination of320</p> <p>1,3-Asymmetric induction10 into 3-methyl-4-(3-acetylpyrrol-1-yl)butanal to 1-acetyl-6-methyl-8-hydroxy-5,6,7,8- tetrahydroindolizine cyclization.....10</p> <p>Asymmetric ketones350 reaction with350</p> <p>7-Aza-bicyclo[2.2.1]heptane derivatives827 synthesis of827</p> <p>Aza-Michael addition157 KF/Al₂O₃ mediated157 of indoles to electron-deficient olefins157</p> <p>Azaphthalimide reduction379 with Zn/AcOH at various temperatures379</p>
--	--

Azides	1	Butyryloxymethyloxirane	564
Azolo[1,2-a]pyrimidines	560	electron-transfer reduction of	564
novel one pot synthesis of	560	with alkalide K/K^+ (15-crown-5) ₂	564
role of Viehe's salt	560		
		C2- -Fluoro-substituted adenine nucleosides	402
Baylis-Hillman reactions	936	synthesis of	402
hexamethyleneteramine-ionic liquids catalyzed	936	<i>via</i> pivaloyl derivatives of adenosine/ 3-deoxyadenosine	402
3-Benzyl-2H-chromenes	546	C ₃ -symmetric tripodal -hydroxy amide ligands	780
as antipicornavirus agent	546	facile synthesis of	780
synthesis of	546		
-Benzylserine	764	Calix[4]arene	811
enantiodivergent synthesis of	764	ester derivatives of	811
Bi(OTf) ₃	768	Calixarene-based hyperbranched molecules	426
as catalysts for synthesis of bis(indolyl) methanes	768	with Tame/Sen ligand cores	426
in solution	768	Carbasugar	654
under ultrasound irradiation	768	one-step synthesis of	654
Bifluorenilidenes	579	Wittig-Horner/Mitsunobu/Michael triple- tandem mechanism of	654
facile synthesis of	579	Carbonyl compounds	121
Biginelli compounds.....	201	at room temperature	121
efficacious preparation of	201	by oxidative cleavage of carbon-nitrogen double bonds	121
Biocatalytic oligomerization	679	solid phase regeneration of	121
of glycidol	679	Carbonyl compounds	78,267
BiOCIO ₄ xH ₂ O	768	chlorination reactions of	78
as catalysts for synthesis of bis(indolyl) methanes	768	conversion of oximes to	267
in solution	768	highly enantioselective catalytic fluorination of	78
under ultrasound irradiation	768	Catalytic asymmetric alkynylation	328
Bis(indolyl)methanes (BIAs)	374	of active unnatural -amino acid derivatives	328
catalyzed by recyclable solid superacid SO ₄ ²⁻ / TiO ₂ under solvent-free condition	374	of -imino ester	328
efficient synthesis of	374	Ceric ammonium nitrate	554
Bis-imidazolyl indoles	712	as robust acetylating catalyst	554
microwave assisted one pot synthesis of	712	Chalcones	39
Bispyridinium compounds	831	One-step reduction of	39
propane linker in	831	Chiral amino-amides	430
reactivation activity against tabun-/paraoxon- inhibited acetylcholinesterase	831	as immobilized ligand	430
synthesis of	831	as solution phase	430
Bisulfite addition products	872	for catalytic asymmetric alkylation of aromatic aldehydes	430
by FeCl ₃ .6H ₂ O	872	Chiral dihydropyrazole scaffold	78
by Fe(NO ₃) ₃ .9H ₂ O	872	enantioselective [3 + 2] cycloaddition of	78
effect of silica gel under solvent-free conditions	872	Chiral di-imidazolium molecular tweezers	363
selective d3eprotection of	872	Chiral pyridine derivatives	333
Blue cornflower pigment	331	catalytic asymmetric acyl-transfer mediated by	333
structure of	331	Chloroacetic	940
Butenolides	558	catalyzed by sulfuric acid in	940
synthesis of	558	synthesis of	940
		Cholesterylated carboxylic acids	911
		for gene delivery	911

synthesis of	911	, -Dichoroketone	597
with oligo(polyethylene glycols) units	911	indium-mediated allylation of	597
Circular dichroism	58	Diesters	123
in chiral amide	58	biogenetically rare type of	123
Crotylation	922	facile double fries rearrangement of	123
of (<i>R</i>)-2,3-cyclohexylidene-glyceraldehyde	922	synthesis of	123
Cyanide ions	787	under microwave irradiation	123
selective colorimetric sensing of	787	6,7-Dihydro-[1,4]dioxino[2,3- <i>d</i>]pyrimidines	877
Cyanomethyl-3-nitrobenzoates	619	functionalization of	877
reductive cyclization of	619	synthesis of	877
Cyanosilylation	275	3,4-Dihydro-2 <i>H</i> -1,4-benzoxazine	371
of hetero-substituted ketones catalyzed		palladium-catalyzed access to	371
by LiCl	275	3,4-Dihydropyrimidin-2(1 <i>H</i>)-ones	523
Cyclic endiamino peptides	78	iodine catalyzed one-pot synthesis of	523
Cyclopentadiene endoperoxides	600	ultrasound irradiation of	523
acid-assisted transformation of	600	3,4-Dihydropyrimidin-2(1 <i>H</i>)-ones/thiones using	
pyrylium cations from	600	ZrO ₂ /SO ₄ ²⁻	484
2-Deoxy ketopyranoses	459	as reusable heterogeneous catalyst	484
from <i>exo</i> -glycals	459	microwave-promoted facile/rapid solvent-free	
stereoselective synthesis of	459	synthesis of	484
<i>cis</i> -3,5-Dialkyl proline derivative	315	synthesis of	484
radical route to	315	2,2'-Dihydroxyl-1,1'-binaphthalene derivatives	735
2,5-Diaminocyclohexanecarboxylic acids	463	host-guest complexation of anions based on	735
orthogonally protected	463	<i>S,S</i> -Dimethyl dithiocarbonate	836
synthesis of	463	for synthesis of 5-substituted oxazolidinones	836
Diamond (100)	622	Diphenols	48
with osmium tetroxide	622	by novel 1,3-alternate calix[4]arene receptor	48
Diastereoisomeric synthesis	42	hydrogen bonding molecular recognition of	48
of isochroman glycon moiety	42	2-Diphenylphosphinoyl-2'-halo biphenyls	567
of novel analogues of d4T	42	synthesis of	567
Diastereoselective Horner-Wadsworth-Emmons		<i>via</i> Suzuki-Miyaura coupling	567
reaction	798	1,3-Dipolar cycloaddition reaction	917
for synthesis of tetrasubstituted alkenes	798	Dispiro [flavanone/chromanone/tetralone]-pyrrolo	
Diastereoselective Paternò-Büchi reaction	350	[1,2- <i>a</i>] isoquinolinespiro [3.2] acenaphthen-1	917
on furan derivatives	350	1,4-Disubstituted 1,3-diyne	607
Diazo-1,2-diphenylethanone	212	homocoupling of terminal alkynes to	607
reaction of	212	role of copper(I) iodide	607
with 2-[(arylimino)methyl]phenols	212	2,6-Disubstituted imidazo[2,1- <i>b</i>]-1,3,4-thiadiazoles	149
-Diazo- -ketophosphonates	204	by cyclocondensation of α -bromoacetophenone	
Wolff selective Rh(II) catalysed		derivative	149
decomposition of	204	by 1,3,4-thiadiazoles using ionic liquids	149
Dibenzo[1,4]dioxocin	861	green route to	149
structure of	861	Enantioenriched (+)-deoxytylophorinine	806
Dichoroacetic	940	antiviral activity of	806
catalyzed by sulfuric acid in	940	total synthesis of	806
synthesis of	940	Enantiopure anti-Alzheimer(<i>R</i>)-arundic acid	922
		synthesis of	922
		Enantioselective diorganozinc-additions	176
		to aldehydes	176

Enol triflate	817	Halogen/metal exchange reactions	165
derived from <i>N</i> -methyl-2-indolone	817	vistas in	165
palladium catalyzed cross-coupling		Halogens	165
reaction of	817	Hantzsch ethyl 1,4-dihydro-2,6-dimethylpyridine-3,5-	
Epibatidine	827	dicarboxylates	153
total synthesis of	827	eco-friendly procedure for	153
Epoxides	187	under mild green conditions	153
with aromatic amines catalyzed by Tin (ii)		Heterocycles	915
chloride	187	by microwave-induced retro Diels-Alder	
Exothermic reagents	170	reaction	915
diffusion controlled addition of	170	Heterocyclic structures	848
phase vanishing method-system for	170	HClO ₄ -SiO ₂ catalyzed multicomponent	
<i>via</i> fluorous membrane	170	reactions of	848
Extended tetrathiafulvalenes	3	synthesis of	848
acetylenic coupling reactions in	3	Hexahydro-pyrrolo[1',2',5':3,4,5]thiazolo[3,4- <i>c</i>]	
synthesis of	3	oxazol-1-ones	820
Fe(NO ₃) ₃ ·9H ₂ O/H ₃ PMo ₁₂ O ₄₀ · <i>x</i> H ₂ O systems	305	as chiral tricyclic <i>L</i> -cysteine/ <i>D</i> -penicillamine	
for removal of cyclic dioxalanes/dithianes	305	derivatives	820
Ferrocene-carboxaldehyde imines	802	Hydrobenzoins	842
derived from (<i>R</i>)-/(<i>S</i>)-1-phenylethylamine	802	by CrO ₃ -NH ₄ Cl under ultrasound irradiation	842
Flavan-3-ols	231	synthesis of benzils from	842
oxidation of	231	Hydroboration	183
Flow reactors	419	Hydroiodination	183
for organic synthesis	419	of terminal double bonds	183
Fluorene-based 1,3-dithietane	604	-Hydroxy acid segment	741
conjugated polymerizable type	604	asymmetric synthesis of	741
Fluoride ions	787	of hapalosin	741
by calix[4]arene containing thiourea moieties	787	-Hydroxyl cyclobutanones	749
Functionalized pyrrolidines	470	from 1,2-bis(trimethylsiloxy)cyclobutene	
mechanism of	470	catalyzed by MgI ₂ etherate	749
synthesis of	470	preparation of	749
2-(-Furyl)-4-(2-oxopyrrolidinyl)-1,2,3,4-		Hydroxybenzoic acids	207
tetrahydroquinolines	699	chemoselective esterification of	207
transformations of	699	in ionic liquid promoted by KF	207
G-2 melamine dendrimer	905	Hydroxylamines	118
first synthesis of	905	to nitrones	118
with serinolic peripheral groups	905	Hydrozirconation in	183
GDP-mannose	668	Imidazol-5-yl radical	510
facile two-step chemo-enzymatic synthesis of	668	intramolecular aromatic substitutions of	510
1,2-Glycerol carbonate	744	tricyclic imidazo[5,1- <i>a</i>] heterocycles from	510
as renewable synthon	744	Imino Diels-Alder reaction	699
Glycidol	679	cycloadducts of	699
Green Lewis acid catalyst	25	-Imino esters	228
		indium triflate catalyzed Ene/Friedel Crafts	
		additions to	228
		Immobilization techniques	442
		comparison of	442
		evaluation of	442

for task specific onium salts (TSOS)	442	Michael addition	414,514,794
role in Mizoroki-Heck cross coupling		novel/efficient catalytic system for	414
reactions	442	reaction kinetics of	514
Indoles	161	tagging of phosphopeptides by	514
clean/facile condensations reaction of	161	thiols to α -enones role of.....	794
of carbonyl compounds under solvent-free		Microwave-assisted regioselective synthesis	358
conditions	161	of 2-trifluoromethyl-7-trihalmethylated	
Ionic liquids	414,607	pyrazolo[1,5-a]pyrimidines	358
of indoles to α , β -unsaturated ketones	414	Molecular oxygen	121
PdCl ₂ immobilized in	414	Monosaccharides	932
Ionic liquid solvent	558	per- <i>O</i> -acetylation of	932
base-promoted reactions in	558	with vinyl acetate/Na ₃ PO ₄ ·H ₂ O	932
Ionone-like dienes	926	MRI contrast agents	643
allylic oxidation of	926	based on carbon-substituted	
by nanoscale copper catalyst	926	triazacycloalkanes	643
in imidazolium ionic liquids	926	synthesis of	643
Isoxazoles	135	Multi-component coupling reactions	82
K ₂ CO ₃ -mediated regioselective synthesis of ..	135	synthetic applications of	82
		<i>via</i> bis- π -allylpalladium complexes	82
KBrO ₃	292	<i>N</i> -Aryl/ <i>N</i> -alkylsulfonamides	235
in presence of Fe(HSO ₄) ₃ /SiO ₂	292	mild/chemoselective solvent-free method for ..	235
Ketones	78,384	synthesis of	235
asymmetric reduction of	78	Natural amino acid derived chiral sulfonamide ligands	143
efficient diastereoselective titanium(IV)		in catalytic asymmetric addition of	
reductive amination of	384	phenylacetylene to aldehydes	143
Knoevenagel condensation	297	Natural phenol	123
using sodium pyruvate	297	<i>N</i> -chlorodiazinones	626
Liposidomycins	368	sodium hypochlorite solution for	626
convergent synthesis studies of	368	synthesis of	626
ribosyl-diazepanone core of	368	Neurotensin (8-13)	21
Magnesium perchlorate	658	design of	21
as catalyst	658	pyrrole-based partial peptidic mimic of	21
for Ferrier glycosylation reaction	658	synthesis of	21
Meldrum's acid	865	Nitrile	1,267
effect on neutral alumina using microwave		conversion of oximes to	267
irradiation	868	Nitrile imines	78
Knoevenagel condensation of	868	4-Nitroanilines	629
Methyl 2-methoxycarbonyl-3-phenylpropionate		5-Nitropyridines	629
derivatives	492	three components ring transformation of	629
as angiotensin converting enzyme inhibitors ..	492	<i>N</i> -methoxy- <i>N</i> -methylamides	468
4-Methyl-2-(<i>ortho</i> -methoxyphenyl)nicotinic acid ..	759	amines with AlCl ₃ /LiAlH ₄ from	468
using Eaton's reagent	759	reduction of	468
3-Methyl-3-cyanocyclopropene	670	<i>N</i> -nitrosoamides	689
Alder-Ene reaction of	670	study of thermal activation of	689
effect of monoterpenes	670	Non-symmetric biphenyl phosphines	567
Methylenebisphosphonate	898	<i>N</i> -protected l-amino acids	242
one-pot synthesis of amide derivative of	898	reactions of	242
utilizing mesyl moiety as leaving group	898		

with alkyl chloromethyl ethers	242	Peptidomimetics	539
with chloromethylmethyl sulfide	242	based on thiazolidine moiety	539
<i>N</i> -substituted 1,4-dihydropyridines	549	design/synthesis of	539
one-pot Domino Michael-azacyclization		small libraries of	539
process	549	Peracetylated carbohydrates	35
<i>N</i> -toluenesulfonyl- <i>L</i> -proline amide	437	at anomeric position	35
enantioselective aldol reactions catalyzed by ..	437	facile route for	35
in ionic liquids	437	regioselective deacetylation of	35
One-pot synthesis	225,228,309	Phosphate elimination	514
of α -amino acid derivatives	228	reaction kinetics of	514
of 3,4-dihydropyrimidin-2(1 <i>h</i>)-ones using		tagging of phosphopeptides by	514
hydrochloric acid- β -cyclodextrin-combined		Photo S_N1 reaction	253
catalysts	225	<i>via</i> phenyl cation	253
of α -hydroxy-1,3-dienes	309	Polar antimalarial 1,2,4-trioxanes	247
Optically pure terminal olefin	489	from C_5 -aldehyde	247
synthesis of	489	from ipsdienol	247
with long chain α -amino acids	489	synthetic approaches to	247
Organocopper chemistry	339	Polyethylene glycol	773
recent advances in	339	efficient/selective/modification of	773
Organolithium	802	Polyhydroquinoline derivatives	317
diastereoselective addition of	802	synthesis of	317
Osmylation	622	under solvent-free conditions	317
of diamond (100)	622	Polymer-supported reagents	943
Oxepin-/oxocin-annulated pyrimidine derivatives ..	845	Polyunsaturated fatty acids	91
by Claisen rearrangement/ring closing		peroxidation of	91
metachesis/ring enyne metathesis	845	Pre-shaped aromatic picket porphyrins	753
synthesis of	845	and bismuth complexes	753
Oxidation	292,622	coordination studies of	753
of alcohols of trimethylsilyl	292	neutral oxygen donors of	753
of diamond (100)	622	synthesis of	753
of tetrahydropyranyl ethers	292	Prochiral <i>N</i> -Cbz-2-alkyl-2-amino-1,3-propanediols ..	764
Oxidative aromatization	571	lipase-catalyzed enantioselective	
activated carbon in	571	acetylation of	764
using molecular oxygen	571	<i>p</i> -tert-butylcalix[4]arenes	811
3-Oxolutein	723	ionophoric properties of	811
preparation/spectroscopic characterization of ..	723	lower rim substituted	811
Oxygen atom	204	X-ray structure studies of	811
adjacent to the α -position	204	Pyrazolines	135
Palladium catalysts	29	K_2CO_3 -mediated regioselective synthesis of ..	135
preparation of diarylamines/arylhydrazines		Pyridazines	78
using	29	highly substituted	78
Paternò-Büchi reaction	244	Pyrido[3,2- <i>c</i>]coumarin derivatives	759
of 2,3-dihydrofuran/furan with benzaldehyde ..	244	by intramolecular cyclization	759
regio/stereoselectivity in	244	synthesis of	759
Peptide	356	2-Pyridone	526
thermal degradation of	356	oxepin-/spiro-annulation of	526
Peptide nucleic acids	495	with Claisen rearrangement	526
		with Ruthenium carbene complex mediated	
		enyne metathesis	526

Pyrimidine <i>o</i> -quinodimethanes	703	synthesis of	519
applications to synthesis of tetrahydro/ quinazoline derivatives	703	with butyrolactone moieties	519
Diels-Alder reactions of	703	Stereoselective Michael addition	648
stereochemistry of	703	of α -amino ester-derived <i>N</i> -lithiated azomethine ylides	348
Quinoline derivatives	699	Stereoselective synthesis	447
synthesis of	699	of C ₃ -C ₁₀ /C ₁₃ -C ₂₁ fragments of laulimalide	447
Quinoline series	289,891	Styrene	585
antiparasitic potential in	891	effects of cation electrophilicity/solvent/ temperature on	585
efficient solvent-free synthesis of	289	polymerization of	585
promoted by BiCl ₃	289	7-Substituted eudistomin analogs	455
<i>D</i> -Ribonucleosides	313	total synthesis of	455
one-pot synthesis of	313	2-Substituted indole derivatives	817
using natural phosphate doped with KI in HMDS	313	synthesis of	817
Salen ligands	1	5-Substituted uracils	534
high yielding preparation of	1	effect of base on regioselectivity of	534
Secondary amines	396	with Michael acceptors	534
by titanium(IV)isopropoxide-mediated reductive amination of ketones	396	5-Substituted-1,3,4-oxadiazole-2(3 <i>H</i>)-thiones	286
efficient synthesis of	396	synthesis of	286
(+)-Sedamine	140	under microwave irradiation	286
stereoselective total synthesis of	140	Symmetric organic carbonates	530
Selenocarbonates	854	in ionic liquid	530
electrochemical synthesis of	854	preparation of	530
Silphos [PCl ₃ - <i>n</i> (SiO ₂) <i>n</i>],	267	Synthesis	62,103,195,214,390,504,597
as heterogeneous phosphine reagent	267	benzofuran analogue of 8-HETE	103
Silyl ethers	13	c7-substituted estra-1,3,5(10),6-tetraen-3,17 β -diols	214
efficient/selective cleavage of	13	of 1,1-dichloro-2-organylpent-4-en-2-ols	597
with antimony trichloride	13	of acylated prolinates	62
SiO ₂ /N ₂ O ₄	305	of C1-C6 fragment of caribenolide I	390
as oxidant	305	of diastereoisomers of (+)-goniofufurone	504
Solid alkaline metal hydroxide	664	of flavirucins	183
liquid phase oxidation of 1-phenylethanol	664	substituted pyrazolyl-1,3,4-oxadiazoles and pyrazolyl-1,2,4-triazoles	195
Sonogashira coupling reaction	282	Tandem Michael-Dieckmann reaction	68
silica-supported copper(i) catalyzed by	282	role in synthesis of orixalone A	68
Spiro pyrrolidine-oxindoles	887	Tandem Wittig-Horner/Mitsunobu/Michael mechanisms	654
facile one-pot synthesis of	887	(<i>R,R</i>)-Tartaric acid	882
under ultrasonic irradiation in DMSO-H ₂ O	887	as inhibitor of HIV-protease	882
Spirocyclics	128	synthesis of pseudopeptides derived from	882
design of	128	Taxifolin	231
synthesis of	128	gram-scale synthesis of	231
via Diels-Alder reaction	128	TEMPO-substituted anthraquinones	685
via ring-opening cross-metathesis	128	organic radical crystals based on	685
Spirostans	519	Tetra- <i>n</i> -propylammonium perruthenate (TPAP)	118
biological evaluation of	519	aerobic oxidation of	118

Tetrathiafulvalene-carbohydrate derivatives	865	Tricyclic pyrazolo[1,5- <i>a</i>]pyrimidin-7(4 <i>H</i>)-ones	715
synthesis of	865	synthesis of	715
Thieno[2,3- <i>d</i>]pyrimidine derivatives	709	Trisubstituted olefins	16
by tandem [2,3]/[[3,3]sigmatropic		efficient microwave/phosphane-free synthesis	
rearrangement	709	of	16
Thieno[3,2- <i>b</i>]indole	250	<i>via</i> Heck coupling	16
regioselective synthesis of	250	Ubiquinone-10	610
tandem cyclization of 1-acetyl-3-(4 -aryloxybut		synthesis of	610
-2 -nylthio)indole	250	Ullmann reaction	948
Thioacetalization reagents	1	low temperature modification of	948
Thio-bisphosphonic acids	634	, -Unsaturated esters	324
in treatment of arthritis	634	aza-Michael additions on	324
role of tetraethyl methylene-1-bisphosphonate	634	catalyzed by bismuth (III) triflate	324
synthesis of	634	under microwave irradiation	324
4 <i>H</i> -Thiopyran-1-oxides.....	115	Vicinal O=SCH ₂ CH ₂ P=O moieties	720
oxenoid reactivity of	115	competitive deprotonation in	720
photochemical deoxygenation of	115	Vinyldiazoacetic acid esters	73
Three-component imino Diels-Alder reaction	300	of carbohydrate acetonides	73
antitumoral pyridinyl substituted 7 <i>H</i> -indeno		preparation of	73
[2,1- <i>c</i>]quinoline derivatives <i>via</i>	300	Vinylic chlorides	891
Ti (IV) complex-catalyzed asymmetric addition	780	preparation of	891
of diethylzinc to aldehydes	780	Voltammetric oxidation	111
TiCl ₃ -Al-H ₂ O under ultrasound irradiation	278	of Hantzsch 1,4-dihydropyridines in ethanol-	
Pinacol coupling of aromatic aldehydes using	278	water media	111
Total synthesis	78	(-)-Zampanolide	78
of (-)-dactylolide	78	formal synthesis of	78
Trans-epoxysuccinic acid	45		
preparation of enantiomerically pure esters of ...	45		
Trichloro[1,3,5]triazine/ <i>n</i> -Bu ₄ NNO ₂ system .220	2,4,6-		
conversion of alcohols/thiols/trimethylsilyl			
ethers to alkyl nitrites with	220		